



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

Certificate of Analysis

Sample(s) : One sample of Sterizar

Received from: Point Consumables Europe Ltd. 2 Royal Lodge Road, Belfast,
BT8 7UL

Date received: 18 February 2010 **Date tested:** 23 August 2010

Certificate no: 10B.117ND.CSS **Certificate date:** 27 August 2010

Sample ref: 10B/117 **Page:** 1 of 2

Analysis required: EN 1276 Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas (phase 2, step 1)

Product stored at: Room temperature

Active substance: Not declared

Test conditions: Dirty

Interfering substance: 3.0g/l bovine albumin

Product test concentration: Neat as received
(80% in test suspension)

Product diluent used during test: N/A

Contact time: 1 minute

Test temperature: 20°C ± 0.5°C

Neutralising solution: 30g/l polysorbate 80, 3g/l lecithin,
1g/l histidine, 1g/l cysteine

Incubation temperature: 37°C ± 1°C

Identification of bacterial strain(s) used: *Klebsiella pneumoniae* NCTC 13443
(NDM-1)

D C Watson

D C Watson BSc, CBiol, MIBiol, MIFST, ACIEHO
PO Box 95, New Ferry, Wirral, CH62 6HA
Tel: 0151 637 3331 Mob: 07767 871275
email: abbottanalytical@hotmail.co.uk



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

3 February 2011

Certificate No: 10B.117ND.CSS

Page: 2 of 2

Test results:

Test Organism	<i>Klebsiella pneumoniae (NDM-1)</i>	
Validation Suspension (N_v)	Vc1 358	Vc2 400
	$\bar{x} = 379$	
Experimental Control (A)	Vc1 382	Vc2 324
	$\bar{x} = 353 \geq 0.5N_{v_0}$	
Neutraliser Control (B)	Vc1 366	Vc2 350
	$\bar{x} = 358 \geq 0.5N_{v_0}$	
Method Validation (C)	Vc1 339	Vc2 294
	$\bar{x} = 317 \geq 0.5N_{v_0}$	
Test Suspension	10 ⁻⁶ Vc1 264	Vc2 252
	10 ⁻⁷ Vc1 34	Vc2 49
(N)	$\bar{w} = 2.72 \times 10^8$	
	lg N = 8.44	
(N₀ = N/10)	lg N ₀ = 7.44	
Results	Vc1 0	Vc2 0
(Na)	$\bar{x} \times 10 < 10$	
	lg Na < 1.00	
(R)	lg R > 6.44	
Pass: lg R ≥ 5	PASS	

Vc = plate count per ml
 \bar{x} = average of Vc1 and Vc2
 \bar{w} = weighted mean of \bar{x}
R = reduction (lg R = lg N₀ - lg Na)

Conclusion:

This batch of Sterizar, when used neat, passes the requirements of EN 1276 for bactericidal activity in 1 minute at 20°C under dirty conditions against the reference organism detailed.

D C Watson

D C Watson BSc, CBiol, MIBiol, MIFST, ACIEHO
PO Box 95, New Ferry, Wirral, CH62 6HA
Tel: 0151 637 3331 Mob: 07767 871275
email: abbottanalytical@hotmail.co.uk